

Visit
FREETESTPAPER.com
for more papers




Website: freetestpaper.com




[Facebook.com/freetestpaper](https://www.facebook.com/freetestpaper)



[Twitter.com/freetestpaper](https://www.twitter.com/freetestpaper)



JURONGVILLE SECONDARY SCHOOL
PRELIMINARY EXAMINATION 2024
Secondary 4 Express



STUDENT
NAME

CLASS

INDEX
NUMBER

BIOLOGY

6093/01

Paper 1

1 hour

Additional Materials: Multiple Choice Answer Sheet

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, index number and class on the Answer Sheet in the spaces provided.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.


The use of an approved scientific calculator is expected, where appropriate.

DO NOT OPEN THE BOOKLET UNTIL YOU ARE TOLD TO DO SO

For Examiner's Use
40

- 1 The diagram below shows an animal cell. Radioactively labelled amino acids are introduced to the cell.

In which structure will radioactivity be first detected?




- 2 Which mature cell contains a nucleus?

- A red blood cell
- B root hair cell
- C sieve tube element
- D xylem vessel

- 3 Which process can only occur through a partially permeable membrane?

	active transport	diffusion	osmosis	key
A	√	√	√	√ = yes
B	√	X	X	X = no
C	√	X	√	
D	X	√	√	

- 4 Five strips are cut from a potato, all of equal size and shape. The strips are then placed in sugar solutions of different concentrations. After four hours, the change in length of each potato strip is measured. The results are shown in the graph below.



Which concentration of sugar solution has approximately the same water potential as the potato?

- A 0.00 mol dm⁻³
 B 0.15 mol dm⁻³
 C 0.30 mol dm⁻³
 D 0.40 mol dm⁻³
- 5 A student conducted a series of food tests on an unknown sample of food. The results are shown in the table below.


reagent added	observation
iodine	remains yellow
Benedict's solution	orange precipitate
Biuret reagent	remains blue
ethanol	remains clear

What is the unknown sample most likely to be?


- A apple slices
 B butter
 C fried fish
 D toasted bread

- 6 A dish is filled with agar jelly containing starch. Four holes were cut in the jelly and each hole was filled as shown in the diagram below.

After 30 minutes, which hole will be surrounded by the largest area without starch?




- 7 The graph below shows the effect of pH on enzyme activity.



What can be concluded from the graph?


- A** At pH 9, all enzymes are denatured.
- B** Enzyme activity stops when at pH 3.
- C** The enzymes work best when they are placed in acidic mediums.
- D** The greatest number of enzyme-substrate complexes form at pH 7.

- 8 The graph shows the percentage of undigested food molecules in the alimentary canal.



What is part X likely to be?


- A duodenum
 - B ileum
 - C oesophagus
 - D stomach
- 9 The diagram below shows some cells from a newborn's blood under a microscope. Newborn babies are known to have elevated levels of cell Y.



Which of the following best explains why newborns have elevated levels of cell Y?


- A The nitrogenous waste materials need to be removed at a faster rate in newborns.
- B Their blood needs to clot when the umbilical cord is cut upon birth.
- C There is a greater susceptibility to infections in newborns.
- D They require a greater need to transport oxygen as they can breathe on their own.

- 10 The diagram below shows the external view of the heart.



What would occur if structure X was blocked?

- A blood cannot enter the heart
 - B decrease in oxygen transported to the heart muscles
 - C rate of contraction of heart muscles increases
 - D valves in the heart fail and allows backflow of blood
- 11 The graph below shows pressure changes that occur during a cardiac cycle.




What happens to the atrioventricular valves and semilunar valves between W and X?


	atrioventricular valve	semilunar valve
A	closed	closed
B	closed	open
C	open	closed
D	open	open

- 12 The diagram illustrates changes in air pressure taking place inside the lungs during a complete cycle of breathing.

Which position on the graph corresponds to the point at which the ribs are beginning to be raised




- 13 An athlete runs a race. The graph shows how the concentration of lactic acid in his leg muscles changes.



How long did the athlete run for?


- A 2 minutes
- B 4 minutes
- C 6 minutes
- D 10 minutes

- 14 The diagram below shows the bronchus lining of a smoker and non-smoker.



Why is it harder for the smoker to remove mucus from his respiratory tract?


- A The smoker produces less mucus than the non-smoker.
 - B The smoker has less epithelial cells than the non-smoker.
 - C A significant number of cilia are damaged in the smoker's epithelial cells.
 - D The smoker's epithelial cells have burst.
- 15 The diagram below shows the production and excretion of materials in the body.



What are V, W, X, Y and Z in the diagram?

	V	W	X	Y	Z
A	aerobic respiration	deamination	lungs	urea	kidney
B	aerobic respiration	filtration	urea	lungs	kidney
C	anaerobic respiration	deamination	kidneys	urea	lungs
D	anaerobic respiration	filtration	lungs	lungs	urea

- 16 The diagram below shows the flow of blood and dialysis fluid through a dialysis machine.



Where would the urea concentration be the highest?


- A 1 and 2
B 1 and 4
C 2 and 3
D 2 and 4
- 17 Two fluid samples were drawn from different parts of the kidney nephron and the components of the fluids were analysed. The results are shown in the table below.

component	fluid P (g / L)	fluid Q (g / L)
glucose	0.0	0.9
sodium ions	5.0	3.5
urea	20.0	0.3

Which parts of the kidney nephron were fluids P and Q extracted from?

	fluid P	fluid Q
A	collecting duct	glomerulus
B	glomerulus	collecting duct
C	glomerulus	proximal convoluted tubule
D	proximal convoluted tubule	collecting duct

- 18 The graph below shows the concentration changes of blood glucose and a hormone.




What is the hormone and what is its effect?

	hormone	effect
A	glucagon	glucose is converted to glycogen
B	glucagon	glycogen is converted to glucose
C	insulin	glucose is converted into glycogen
D	insulin	glycogen is converted into glucose

- 19 David injured his hand during an accident. Shortly after that, he could feel objects he touched but was unable to move his hand away from them.

What could have caused this?

- A** The receptors in his hand were damaged.
B Relay neurones in his hand could no longer carry out their function.
C Only the nerve connection between receptors and the central nervous system was cut.
D Only the nerve connection between the central nervous system and the effectors was cut.
- 20 The graph below shows the changes in the thickness of the lens of a person during a period of 10 seconds.



What is happening to the eye between the 4th and 6th seconds?

- A** ciliary muscles contract
B circular muscles contract
C suspensory ligaments slacken
D suspensory ligaments are pulled taut

- 21 Mr Tan suffered an eye infection caused by the bacteria *Bacillus cereus*. He was prescribed antibiotics but occasionally forgot to take his medicine. After a week he noticed the infection remained.

What could be a possible reason for this?


- A *Bacillus cereus* is better treated with a vaccine.
 - B *Bacillus cereus* grew resistant to antibiotics.
 - C Mr Tan was given the wrong dosage of antibiotics.
 - D Mr Tan was prescribed the wrong type of antibiotics.
- 22 David recently received his vaccination for Covid-19.

Which statement correctly describes how vaccines work?

- A cell wall synthesis by pathogen is inhibited
 - B enzymes activity of pathogen is disrupted
 - C ribosomes of pathogen cannot produce proteins
 - D stimulation of antibodies by white blood cells
- 23 Which correctly describe the difference between a bacterium and a virus?


	feature	bacterium	virus
A	cell membrane	present	present
B	cytoplasm	absent	absent
C	ribosome	present	present
D	protein coat	absent	present

- 24** The diagram below shows the cross-section of a leaf of a typical green plant. The contents of the cells are absent.



Which cells contain chloroplasts?


- A** 1 and 2
 - B** 1 and 4
 - C** 2 and 3
 - D** 2 and 4
- 25** The graph below shows the effect of light intensity on the rate of photosynthesis in a plant at different temperatures.



What factor(s) limit the rate of photosynthesis at W?

- A** carbon dioxide concentration only
- B** light intensity only
- C** light intensity and temperature only
- D** temperature only

26 The diagram below shows a green plant.



Where will food made by leaf L be found after translocation?

- A 1 only
- B 1 and 2 only
- C 1, 2 and 3 only
- D 1, 2, 3 and 4


27 Which of the following conditions would cause a plant to wilt most quickly?

	air movement	humidity	temperature
A	high	low	high
B	high	high	low
C	low	low	high
D	low	high	low


28 Sewage accidentally enters a river for several days.
What are the changes to the concentration of oxygen, the number of bacteria and the number of fish?

	concentration of oxygen	number of bacteria	number of fish
A	decreases	increases	decreases
B	decreases	decreases	increases
C	increases	increases	decreases
D	increases	decreases	increases

29 Which pyramid of numbers has more herbivores than producers?




30 The diagram below represents the carbon cycle.



What processes are occurring at 1, 2, 3 and 4?

	1	2	3	4
A	combustion	photosynthesis	respiration	decomposition
B	photosynthesis	respiration	combustion	decomposition
C	photosynthesis	combustion	decomposition	respiration
D	respiration	photosynthesis	combustion	photosynthesis

- 31 The diagram below shows part of a DNA strand.



What are structures X, Y and Z?

	X	Y	Z
A	deoxyribose sugar	nitrogenous base	phosphate group
B	deoxyribose sugar	phosphate group	nitrogenous base
C	nitrogenous base	phosphate group	deoxyribose sugar
D	phosphate group	deoxyribose sugar	nitrogenous base


- 32 The following statements are about the production of insulin through the use of genetic engineering.

- 1 Recombinant plasmid is formed.
- 2 The insulin gene is isolated using a restriction enzyme.
- 3 The bacterium is made to take up the plasmid.
- 4 Bacterium plasmid is cut open.

What is the correct sequence of these statements?


- A** 1, 3, 4, 2
- B** 2, 4, 1, 3
- C** 3, 4, 2, 1
- D** 3, 1, 2, 4

- 33** The diagram represents gametes P and Q fusing to give cell R. Cell R then produces gametes S, T, U and V.



Which statement about the numbers of chromosomes in the cells and gametes is correct?

- A** The numbers of chromosomes in **P** and **Q** are different.
 - B** The numbers of chromosomes in **P** and **S** are the same.
 - C** The number of chromosomes in **S** is one quarter of the number of chromosomes in **R**.
 - D** The number of chromosomes in **T** is half the number of chromosomes in **Q**.
- 34** The diagram below shows a wind-pollinated flower.



Which features of the flower indicate that it is wind-pollinated?


	petals	position of anther	stigma
A	large	inside flower	smooth
B	large	outside flower	feathery
C	small	inside flower	smooth
D	small	outside flower	feathery

- 35** Amniotic band syndrome is a rare condition suffered by pregnant women in which the lining of the amniotic sac becomes damaged.


What is a possible effect of amniotic band syndrome?

- A** foetus has a higher chance of getting injured
 - B** foetus receives less nutrients from the mother
 - C** increased chance of uterus being damaged by the foetus
 - D** more than one zygote can implant itself on the uterus wall
- 36** The diagram below shows a section through the male reproductive system.

Which structure produces fluid to nourish and activate sperm cells?



- 37** The diagram shows a calendar for 33 days in February and March.



A girl with a menstrual cycle of 28 days begins menstruation on 5 February.

During which dates will her progesterone levels in the blood increase most rapidly?

- A** 5 – 12 February
- B** 13 – 19 February
- C** 20 – 26 February
- D** 27 February – 5 March

- 38** In goats, the allele for black hair is dominant to the allele for grey hair. Two black haired goats produced eleven offspring. Eight of them had black hair whilst three had grey hair.


What is the probability that the twelfth offspring will have grey hair?

- A** 25%
- B** 33%
- C** 50%
- D** 75%

- 39** Which fertilisation would result in a male with Down syndrome?

	chromosome in ovum	fertilised by	chromosome in sperm
A	22 + 1X		22 + 1Y
B	22 + 1X		23 + 1Y
C	23 + 1Y		22 + 1X
D	23 + 1Y		23 + 1X

- 40** The diagram below shows a group of male students in a classroom. They are of the same age.




The students show both continuous and discontinuous variation in some of their traits.

Which row shows the correct characteristics?

	discontinuous variation	continuous variation
A	blood group, gender	length of arm, skin colour
B	gender, length of arm	blood group, skin colour
C	gender, skin colour	blood group, length of arm
D	length of arm, skin colour	blood group, gender

End of Paper



JURONGVILLE SECONDARY SCHOOL
PRELIMINARY EXAMINATION 2024
Secondary 4 Express



STUDENT
NAME

CLASS

INDEX
NUMBER

BIOLOGY

6093/02

Paper 2

12 August 2024

1 hour 45 minutes

Candidates answer on the Question Paper.

READ THESE INSTRUCTIONS FIRST

Write your name, class and index number in the spaces on all the work you hand in.

Write in dark blue or black pen.

You may use pencil for drawing diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Section A

Answer **ALL** questions.

Write your answers in the spaces provided.

Section B

Answer **one** question.

Write your answers in the spaces provided.

The use of an approved scientific calculator is expected, where appropriate.

The number of marks is given in brackets [] at the end of each question or part question

DO NOT OPEN THE BOOKLET UNTIL YOU ARE TOLD TO DO SO

For Examiner's Use	
Section A	70
Section B	10
Total	80

Setter: Ms Jo-Ann Lee Hui

This document consists of **19** printed pages.

Section A: Structured Questions [50 marks]

Answer **all** questions. Write your answers in the spaces provided.

- 1 A substance called phenol that is found in the flesh of apples turns brown when it is exposed to air for a period of time. This browning involves an enzyme called polyphenol oxidase which catalyses the conversion of phenol found in apples to a brown compound called melanin.

A student carried out an investigation of the action of polyphenol oxidase on phenol. Four test-tubes were set up with different contents as follows:

test tube	test tube contents
1	phenol + polyphenol oxidase solution
2	phenol + boiled polyphenol oxidase solution
3	phenol + polyphenol oxidase solution + dilute hydrochloric acid
4	phenol + polyphenol oxidase solution + aqueous sodium hydroxide
5	phenol + distilled water

Each test-tube was shaken thoroughly and then placed in a water bath that was maintained at 40 °C. After some time, the observations for each test tubes were recorded in Table 1.1.

Table 1.1

test tube	1	2	3	4	5
colour at the start of the experiment	colourless	colourless	colourless	colourless	colourless
colour at the end of the experiment			brown	colourless	colourless

- (a) (i) Fill in the blanks in Table 1.1 by stating the colour at the end of the experiment for test-tubes 1 and 2. [2]

- (ii) Explain your answer for (a)(i).

.....

.....

.....

.....

.....

..... [3]

3

- (b) State the reason for the result in test-tube 4.

.....

..... [1]

- (c) Explain the purpose of test-tube 5.

.....

..... [1]

- (d) Suggest two factors that must be kept constant during the investigation.

.....

.....

..... [2]

[Total: 9]

- 2 In an investigation, the volume of samples of 20 dried raisins was measured. Each sample was then placed in water or sugar solutions of different concentrations.

After 12 hours, the raisins were blotted dry and the volume of each sample of raisins was measured again. Fig. 2.1 shows the results.




Fig. 2.1

- (a) Explain why samples of 20 raisins were used rather than a sample of one raisin.
-
- [1]
- (b) Calculate the percentage increase in the volume of the sample of raisins in 5% sugar solution.
-% [2]
- (c) Explain the results in the 10% sugar solution.
-
-
-
- [2]

[Total: 5]

- 3 Fig. 3.1 shows a human heart in which the coronary arteries are partially blocked. A coronary by-pass operation is a remedy for this. It involves grafting sections of vein from the patient's leg to the heart.




Fig. 3.1

- (a) Name A and B on the diagram. [2]
- (b) Explain how blockages in coronary arteries affect the heart's ability to work.
-
-
- [2]
- (c) Suggest why a blockage at X will have more serious consequences than a blockage at Y.
-
- [1]
- (d) Suggest why a coronary by-pass is preferable to a heart transplant operation.
-
- [1]
- (e) State two precautions that can be taken to reduce the risk of coronary heart disease.
-
-
- [2]

[Total: 7]

- 4 A seal is a mammal that spends most of its time in the sea. It breathes and respire in a similar way

to humans, but when it dives to hunt and catch fish, can stay under water for an extended length of time each dive.

Fig. 4.1 shows the percentage concentrations of oxygen, carbon dioxide and lactic acid in a seal's blood over a 40 minute period during which it dives to hunt for fish at some point.




Fig. 4.1

- (a) Write a word equation of the process taking place in the seal's muscles before it dives.

..... [1]

- (b) State the time the seal starts its dive.

..... min [1]

- (c) Describe and explain the relationship between the concentration of oxygen and lactic acid from time 20 min to 40 min.

.....

 [2]

7

- (d) Suggest and explain what would happen to the concentration of lactic acid in the seal's blood when it returns to the surface of the sea after its dive.

.....

.....

.....

.....

..... [3]

[Total: 7]

- 5 An investigation was carried out into the effect of eating two different sources of carbohydrate on the concentration of glucose and the concentration of insulin in the blood plasma. The carbohydrate sources used were glucose and rice. The carbohydrate in rice is mainly in the form of starch.

Volunteers were fed either 50 g of glucose or the quantity of rice known to contain 50 g of carbohydrate. The concentration of glucose and insulin in their blood plasma was then measured at intervals for 3 hours. The results are shown in Fig. 5.1 and 5.2.




Fig. 5.1




Fig. 5.2

- 5 (a) (i) Calculate the percentage difference between the maximum concentrations of glucose in the blood after eating rice and eating glucose.

Show your working in the space provided.

percentage difference: % [2]

- (ii) Explain why there is a difference in the maximum concentrations of glucose in the blood after eating rice and eating glucose.

.....
.....
..... [2]

- (b) With reference to Fig. 5.1 and Fig. 5.2, explain the differences between the concentrations of insulin in the blood after eating glucose and eating rice.

.....
.....
.....
.....
.....
..... [3]

- (c) By 180 minutes after eating the glucose or rice, the concentration of glucose in the blood had fallen considerably.

Describe the role insulin and the liver in bringing about the reduction in blood glucose concentration.

.....
.....
.....
.....
.....
..... [3]

[Total: 10]

- 6 Table 6.1 shows the rate of photosynthesis of a plant over a range of light intensities.

Table 6.1

light intensity / lux	rate of photosynthesis / mg carbohydrate produced per unit area per min
5	2
10	5
20	9
30	19
40	23
50	32
60	43
70	55
80	55

- (a) State the general relationship between light intensity and the rate of photosynthesis.

.....
 [1]

- (b) Explain why, at a light intensity above 80 lux, the rate of photosynthesis may increase if the plant was supplied with a higher concentration of carbon dioxide.

.....

 [2]

- (c) Plants wilt when they are not watered for a few days.

Suggest why the rate of photosynthesis would decrease when a plant wilts.

.....

 [3]

[Total: 6]

7 Fig. 7.1 shows a diagram of a kidney nephron.




Fig. 7.1

(a) Describe one feature of the structure of A and explain how this feature aids in the formation of urine.

.....

.....

.....

[2]

- 7 (b) Fig. 7.2 shows the proportions of certain components in glomerular filtrate and urine from a healthy person.




Fig. 7.2

- (i) Draw a line labelled G on Fig. 7.1 to show where the glomerular filtrate was obtained. [1]
- (ii) Use information from Fig. 7.2 to show that selective reabsorption occurs in the kidney tubule.
-
-
-
-
- [3]
- (iii) Explain how the proportion of the components in the glomerular filtrate would change after eating a diet rich in meat.

.....

.....

.....

.....

..... [3]

[Total: 9]

8 Fig. 8.1 shows the stages in the process of genetic engineering to produce the hormone insulin.




Fig. 8.1

- (a) State the type of cell division that takes place in stage M of Fig. 8.1. Use your knowledge of the process of cell division to explain why it is important that this type of cell division occurs.

.....

.....

.....

.....

.....

.....

[3]

- (b) Genetic engineering can also be used to produce crop plants for humans to eat.

Discuss the potential advantages and danger of using genetic engineering to produce crop plants for humans to eat.

.....

.....

.....

.....

.....

.....

..... [4]


[Total: 7]

- 9 The table below shows the distribution in blood group among a population of 1000 people living in a small town.

Table 9.1

blood group	number of people
A	400
AB	40
B	100
O	460

- (a) With reference to the data above, draw a bar graph to represent the data.



[3]

- (b) Identify and explain the type of variation that is shown by blood group.

.....

.....

.....

[2]

- (c) Blood groups of individuals are inherited from their family members. Fig 9.1 shows a family tree.




Fig. 9.1

- (i) Using a genetic diagram, determine the probability that individuals 1 and 2 can have a child with blood group AB.

probability = [4]

- (ii) Deduce using Fig. 9.1 the possible blood group(s) that individual 7 could have.


..... [1]

[Total: 10]

Section B (10 marks)Answer **one** question.**10** Tuberculosis is caused by bacteria called *mycobacterium tuberculosis*.**(a)** Describe two features of a bacterial cell that are different from an animal cell.

1

2 [2]

(b) Fig. 10.1 shows the annual hospitalisation rate for tuberculosis by age group in Singapore between 1998 and 2004.**Fig. 10.1**

Using Fig. 10.1, describe the differences in the hospitalisation rate for people aged 75 and above with people aged 15 to 74.

Suggest a reason for the differences.

.....

.....

.....

.....

.....

..... [3]

- (c) National Childhood Immunisation Programme (NCIP) in Singapore started to cover vaccination against tuberculosis in the 1950s.

Explain the different ways in which vaccines and antibiotics are used to reduce the number of deaths by tuberculosis.

.....

.....

.....

.....

.....

.....

..... [5]

[Total: 10]

- 11 A team of scientists wanted to compare the efficiency of raising chickens in a farm. This farm grows maize to feed the chickens, which are kept in cages when they are not allowed to move much.

Fig. 11.1 shows a chicken mite (not drawn to scale) which is a parasite feeding on the blood of the chicken. It leads to lower weight and egg production in the chicken. There can be up to 1000 chicken mites living in some chickens.



Fig. 11.1

- (a) With reference to the information above, construct a food chain consisting of the organisms in the farm in the space below.

[1]



Jurongville Secondary School

Marking Scheme

Assessment: Preliminary Examination 4E Biology (6093)

Qn	Marking Scheme
1	C
2	B
3	C
4	B
5	A
6	A
7	D
8	D
9	C
10	B
11	A
12	C
13	B
14	C
15	A
16	C
17	A
18	C
19	D
20	D
21	B
22	D
23	D
24	D
25	D
26	D
27	A
28	A

Q#	Marking Scheme
29	D
30	B
31	D
32	B
33	B
34	D
35	A
36	C
37	C
38	A
39	B
40	A



Jurongville Secondary School


Marking Scheme

Assessment: Preliminary Examination
Biology P2 (6093)

Level: 4 Express

Qn	Marking Scheme	Remarks	Marks
1ai	1: brown 2: colourless	Accept 1: colourless if explained in 1aii about optimum pH of enzyme being acidic	[1] [1]
1aii	1. In test-tube 1, phenol can bind with active site of polyphenol oxidase to form enzyme-substrate complex and hence break down to form melanin, which is brown; 2. In test-tube 2, polyphenol oxidase is denatured; 3. The 3D shape of the active site will be altered and will no longer be able to fit the substrate of phenol;	Also accept if 1 colourless, but explains that from 3, optimum pH for enzyme seems acidic. (however at normal conditions, the break down is still catalysed, so original marking scheme still valid)	[1] [1] [1]
1b	Polyphenol oxidase is denatured by alkaline condition/ high pH;		[1]
1c	It acts as a control to show that the colour change is due to the presence of polyphenol oxidase;		[1]
1d	Any 2 of Temperature, concentration of phenol/polyphenol oxidase solutions, volume of solutions, duration of experiment		[2]
2a	More than one raisin was used to find average results to ensure reliability/ consistency of results;		[1]
2b	$12.8 - 8.0 = 4.8 \text{ cm}^3$ Percentage increase = $4.8 / 8 \times 100\%$ = 60%		[1] [1]
2c	The concentration of cell sap in cells of the raisin was the same as in 10% sugar solution/ the water potential of cell sap in cells was the same as in the 10% sugar solution; There was no net movement of water molecules in or out of the raisin;		[1] [1]
3a	A: aorta; B: pulmonary artery;		[1] [1]
3b	Blockage of coronary arteries reduces the supply of oxygen and glucose to the heart muscles for respiration; The heart muscles would contract with lesser force/ heart pumps blood less powerfully around the body/ heart muscles die, leading to heart attack;		[1] [1]
3c	If X was blocked, more parts of the heart muscles would have less oxygen and glucose than if Y was blocked;		[1]
3d	There would not be issues with tissue rejection/ it is a less risky operation than removing the heart and replacing it with a new heart;		[1]
3e	Any 2		[2]

Qn	Marking Scheme	Remarks	Marks
	Have a diet low in cholesterol and saturated fats, exercise regularly, manage low stress levels, do not smoke;		
4a	Glucose + oxygen → carbon dioxide + water		[1]
4b	20		[1]
4c	From 20 min to 40 min, the oxygen concentration decreased, causing an increase in anaerobic respiration; Lactic acid is a product of anaerobic respiration and the lactic acid concentration increases more the lower the oxygen concentration; OR Increased lactic acid concentration means more anaerobic respiration has taken place; Increased anaerobic respiration is a result of a decreased concentration of oxygen to carry out aerobic respiration;		[1] [1]
4d	1. Lactic acid concentration will decrease; 2. The rate of breathing will be high so that more oxygen can be taken in/ increase heart rate/ blood flow to muscles; 3. Oxygen is used to break down lactic acid into carbon dioxide and water;	Cannot just mention pay off oxygen debt	[1] [1] [1]
5ai	Difference = $138 - 122 = 16$ Percentage difference = $16/138 \times 100 = 11.6\%$		[2] [2]
5aii	Any 2 Glucose does not need to be digested, but starch needs to be digested; Glucose is absorbed into the bloodstream faster/ immediately; Glucose absorption from starch continues for a longer time as it takes time for digestion before absorption can take place;		[2] [2]
5b	Insulin is released in response to increased blood glucose concentrations; As such, after eating glucose, there will be a greater increase in insulin concentration at 30 min (8.7) than after eating rice (4.4); Insulin increased faster when glucose was consumed as blood glucose concentration increased faster than when starch was consumed	Must quote some data from graph for full award of 3 marks	[1] [1] [1]
5c	1. Insulin stimulates liver to <u>convert excess glucose to glycogen</u> ; 2. <u>Glycogen is stored in liver cells</u> ; 3. Insulin also <u>increases uptake of glucose by cells</u> and <u>increases tissue respiration</u> ;		[1] [1] [1]
6a	Increasing light intensity increases the rate of photosynthesis;	R: reverse argument	[1]
6b	Carbon dioxide concentration a limiting factor; Carbon dioxide is a raw material needed for photosynthesis;		[1] [1]
6c	1. Due to insufficient water in leaves as water is a raw material needed for photosynthesis; 2. stomata close and less carbon dioxide would be taken into the leaves to be used for photosynthesis; 3. drooping leaf position decreases the amount of light energy absorbed for photosynthesis;		[1] [1] [1]
7a	Any set of The blood capillaries have one-cell thick walls/ tiny pores in the membranes; to speed up the process of ultrafiltration; OR The blood capillaries have a thin partially permeable membrane;		[2]

Qn	Marking Scheme	Remarks	Marks
	that allows only small soluble molecules or ions to pass through;		
7bi	Label Bowman's capsule G;		[1]
7bii	There is a decrease in the concentration of glucose as all the glucose is reabsorbed back into the blood stream; There is a decrease in the concentration of sodium chloride as some mineral salts are reabsorbed back into the blood stream; Urea concentration increases in urine as it is not reabsorbed back into the blood stream;		[1] [1] [1]
7biii	After consuming a meal rich in meat, there would be increased amino acids in the bloodstream; Excess amino acids would be deaminated in the liver to form more urea; In glomerular filtrate, there would be a higher level of urea;		[1] [1] [1]
8a	Mitosis; Identical copies of original bacterium are produced at the end of stage M/ All copies have the same identical genetic material; All cells will have the ability to be able to produce the same insulin;		[1] [1] [1]
8b	Any 2 Advantages Yield of genetically modified crops is good/ plants can grow quickly; Able to grow in environmental extreme conditions/ new areas; Able to transfer beneficial genes or characteristics between species; Can be resistant to diseases or pests; Any 2 Dangers Risk of genetic spread to other species; Expensive and costly to do genetic engineering; Possible health risks to humans or other organisms when consuming genetically modified crops;		[2] [2]
9a	Number of people  Blood Group - Clean, clear bars drawn/point plotted correctly; - Correct axis labels; - Appropriate scale with regular intervals;		[1] [1] [1]
9b	Discontinuous variation; There are a few clear-cut phenotypes/ genes do not show additive effect;		[1] [1]

Qn	Marking Scheme	Remarks	Marks
9ci	Parent Phenotype blood group A blood group B Parent Genotype $I^A I^O$ x $I^B I^O$ Gamete I^A I^O I^B I^O Offspring Genotype $I^A I^B$ $I^A I^O$ $I^B I^O$ $I^O I^O$ Offspring Phenotype AB A B O Probability of child with blood type AB: 25%/ 1/4		[1] [1] [1] [1]
9cii	B or O		[1]
10a	Bacterial cell as a cell wall, but an animal cell does not; Bacterial cell does not have the DNA or genetic material enclosed within a membrane, but an animal cell has a nucleus containing genetic material;		[1] [1]
10b	Any 3 Age group trend: more hospitalisations for group aged 75 (in 1998, around 110) and above/ 15-74 year olds (in 1998, less than 45), fewer hospitalisations; Those above 75 may have weaker immune system/ more prone to tuberculosis; There is a larger difference in hospitalisations between those aged 75 (and above from 1998 to 2000 (60 to 105 a year) as compared to 2001 to 2004 (around 40 a year); Vaccines could have been administered in 2020 to those aged 75 and above;		[3]
10c	1. Antibiotics given during infection/ to help treat the disease/ destroy pathogen; 2. It acts on pathogen directly to prevent synthesis of cellular structures; 3. Vaccines are given before infection/ to prevent disease/ increase immunity; 4. Vaccines contain an agent that resemble pathogen; 5. Vaccines stimulate white blood cells to produce antibodies quickly when pathogen is present;		[1] [1] [1] [1] [1]
11a	Maize → Chicken → Chicken mite		[1]
11b	Pyramid of numbers Pyramid of biomass		[1] [1]

Qn	Marking Scheme	Remarks	Marks
			
11c	Uneaten parts of organisms are not eaten by consumers; Egestion of faeces which contains undigested food substances; Energy is lost as heat (via respiration);		[1] [1] [1]
11d	- Pesticides can be consumed by organisms and not be excreted out of the organism, leading to bioaccumulation in organisms; - This can lead to bioamplification/ biomagnification where the toxins in one organism accumulate in organisms further up the food chain; All 3 for 2 marks, 2 for 1 mark - Fertilisers can cause algae growth in rivers resulting in eutrophication - There will be a lack of sunlight for submerged plants, causing them to die - Increase bacteria and decomposition cause dissolved oxygen levels to decrease, causing death of other aquatic life such as fish		[1] [1] [2]