

Visit
FREETESTPAPER.com
for more papers



Website: freetestpaper.com



[Facebook.com/freetestpaper](https://www.facebook.com/freetestpaper)



[Twitter.com/freetestpaper](https://www.twitter.com/freetestpaper)

Name	Class	Index Number

UNITY SECONDARY SCHOOL

PRELIMINARY EXAMINATION 2019

SECONDARY FOUR EXPRESS



CHEMISTRY 6092/01

19 SEP 2019

PAPER 1

1 HOUR

Additional Materials : Optical Answer Sheet

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use paper clips, highlighters, glue or correction fluid.

Write your name and index number on the Answer Sheet in the spaces provided.

There are **forty** questions on this paper. Answer all questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Optical Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will **not** be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 15.

The total mark for this paper is 40 marks.

This paper consists of **15** printed pages, including this cover page.

- 1 The following diagrams show the arrangement of particles of a substance at two different temperatures.




Which substance could the diagrams represent?

Substance	Melting point / °C	Boiling point / °C
A	-210	-50
B	-210	-10
C	-100	-50
D	-100	-10

- 2 When concentrated aqueous methylamine, CH_3NH_2 ($M_r = 31$) and concentrated hydrochloric acid, HCl ($M_r = 36.5$) are placed at opposite ends of a tube, a white ring of solid, methyl ammonium chloride, $\text{CH}_3\text{NH}_3\text{Cl}$ is formed.

At which position **A**, **B**, **C** or **D**, will the white ring be found?



- 3 Which two gases each change the colour of damp red litmus paper?

- A** ammonia and chlorine
- B** ammonia and hydrogen chloride
- C** carbon dioxide and chlorine
- D** carbon dioxide and sulfur dioxide


- 4 Four students were asked to test a solution for the presence of a cation by using various anions. The students obtained these results.

Student	chlorides	sulfates	carbonates
A	No precipitate	No precipitate	Precipitate
B	Precipitate	Precipitate	No precipitate
C	Precipitate	Precipitate	Precipitate
D	No precipitate	Precipitate	No precipitate

Each student concluded that Pb^{2+} was present.

Which student had results consistent with this conclusion?

- 5 Solid samples of ammonium chloride, silver chloride and sodium chloride were accidentally mixed together. Which of the following sequences outlines the best method to obtain the pure dry sample for each substance?
- A dissolving, filtration, sublimation, crystallisation
B dissolving, fractional distillation, filtration, evaporation
C sublimation, filtration, evaporation, crystallisation
D sublimation, dissolving, filtration, evaporation
- 6 The results of a paper chromatography experiment carried out on an ink sample are shown below.



Given that the R_f value of Dye X is 0.40, what is the R_f value of Dye Y?


- A 0.50
B 0.57
C 0.69
D 1.73

- 7 An imaginary element Unitium (Um) has a proton number of 113 and a nucleon number of 237. Which of the following indicates the number of sub-atomic particles in the Unitium ion, Um^{3+} ?

	Number of electrons	Number of neutrons	Number of protons
A	110	124	110
B	110	124	113
C	113	237	113
D	113	124	110


- 8 The relative atomic mass of naturally occurring chlorine on planet Jupiter is found to be exactly 36.0. What **cannot** be a reason for this?
- A All the chlorine atoms on Jupiter have 19 neutrons.
B Half the chlorine atoms on Jupiter have 18 neutrons and the rest have 20 neutrons.
C There is only one type of chlorine atom found on Jupiter.
D The chlorine atoms on Jupiter have different number of protons but same number of neutrons.
- 9 How many covalent bonds are there in the molecule with the formula CH_2CHCH_3 ?
- A 7
B 8
C 9
D 10
- 10 The proton numbers of elements, Q, R and Z are 4, 6 and 8 respectively. Which of the following lists give the correct formulae of the compounds formed between them?
- A QZ RZ₂ QRZ₃
B QZ RZ₂ QRZ₄
C Q₂Z RZ QRZ₃
D Q₂Z RZ QRZ₄

- 11 **J**, **K** and **L** are three different elements in the Periodic Table. The electronic diagram (showing only the valence electrons) of the compound formed between **J**, **K** and **L** is shown below:



Which of the following statements are correct?

- I Element **K** could be nitrogen.
 - II Element **J** belongs to Group II of the Periodic Table.
 - III Element **K** and element **L** are bonded together by covalent bond.
 - IV Element **L** is a metal.
- A** I, II and III
B I, II and IV
C I, III and IV
D II, III and IV
- 12 A pure compound contains 24 g of carbon, 4 g of hydrogen and 32 g of oxygen. What is the empirical formula of the compound?
- A** CHO
B CH₂O
C CH₄O
D C₂H₂O
- 13 When solid sodium hydrogencarbonate (Mr = 84) is heated strongly, the following reaction occurs.



What is the loss in mass when 25.2 g of solid sodium hydrogencarbonate is heated?

- A** 2.7 g
B 9.3 g
C 15.9 g
D 18.6 g

- 14 In an experiment, 4.0 cm³ of 1.0 mol/dm³ copper(II) sulfate solution are mixed with 8.0 cm³ of 1.0 mol/dm³ sodium carbonate solution.

What does the reaction vessel contain?

- A a green precipitate and a blue solution
B a colourless solution only
C a white precipitate and a colourless solution
D a green precipitate and a colourless solution
- 15 Concentrated aqueous iron (II) iodide is electrolysed using platinum electrode. Which of the following correctly describes the reactions at each electrode?

	Ions attracted to cathode	Observations at anode
A	I ⁻ and OH ⁻	Colourless gas evolved
B	I ⁻ and OH ⁻	Grey deposit formed
C	Fe ²⁺ and H ⁺	Brown solution formed
D	Fe ²⁺ and H ⁺	Colourless gas evolved


- 16 Four electrolytes are listed. Each is electrolysed using inert electrodes.

- 1 aqueous copper(II) chloride
- 2 concentrated aqueous sodium chloride
- 3 dilute aqueous sodium chloride
- 4 molten aluminium oxide

Which two of the electrolytes will result in a metal forming at the cathode?


- A 1 and 2
B 1 and 4
C 2 and 3
D 3 and 4
- 17 Which statement describes what happens when hydrogen and oxygen are used in a fuel cell?
- A Electricity is generated directly.
B Electricity is used to produce water.
C Hydrogen is burned to form steam.
D Hydrogen reacts to form a hydrocarbon fuel.

- 18 The energy profile diagram of a certain reaction is shown below. X is a catalyst.



Which one of the following statements is correct?

- A More heat is absorbed in bond-breaking than is released in bond-making.
 - B The addition of X increases the yield of the products.
 - C The enthalpy change is decreased by the addition of X .
 - D The frequency of effective collisions is increased by the addition of X .
- 19 Gaseous phosphorus pentachloride can be decomposed into gaseous phosphorus trichloride and chlorine by heating.







Given that the bond energy of P-Cl is 330 kJ/mol and Cl-Cl is 240 kJ/mol, calculate the enthalpy change for the reaction.

- A -420 kJ/mol
- B -90 kJ/mol
- C +90 kJ/mol
- D +420 kJ/mol

- 20 When excess calcium carbonate pieces are added to dilute hydrochloric acid, the reaction gradually becomes slower and finally stops.

Which statement best explains why the rate of reaction becomes slower?

- A An insoluble layer of calcium chloride is formed on calcium carbonate.
B The concentration of hydrochloric acid gradually reduces to zero.
C The mass of calcium carbonate decreases throughout the reaction.
D The pieces of calcium carbonate gradually become smaller.
- 21 Which of the following graphs shows the correct change with time when nitric acid reacts with excess iron filings?




- 22 A textbook writes 'Nitric acid, HNO_3 , is a strong oxidising agent'.

Which of the following **cannot** be a product of nitric acid in its reaction with a reducing agent?

- A N_2O_5
B N_2
C NO
D NO_2
- 23 Which of the following pairs of reactants will **not** give a neutral solution when they are mixed together in equal number of moles?
- A Sodium hydroxide and nitric acid
B Calcium hydroxide and sulfuric acid
C Potassium hydroxide and hydrochloric acid
D Barium hydroxide and nitric acid

- 24 Solid **R** is gradually added to aqueous solution **S**. The changes in pH are shown on the graph.



What are substances **R** and **S**?

	Substance R	Substance S
A	insoluble metal oxide	nitric acid
B	soluble metal oxide	hydrochloric acid
C	soluble non-metal oxide	aqueous ammonia
D	soluble non-metal oxide	sodium hydroxide

- 25 A new indicator has just been produced in the laboratory. It changes colour according to the table below:

pH	Colour
0 - 3	Red
4 - 7	Green
8 - 14	Dark blue

This indicator will be suitable to distinguish between

- A** aqueous ammonia and sodium hydroxide.
- B** aqueous sodium chloride and water.
- C** aqueous sodium nitrate and sodium hydroxide.
- D** dilute hydrochloric acid and dilute sulfuric acid.

26 Which of these statements are true in Haber Process?

- I The hydrogen needed can be obtained by cracking of petroleum.
- II The reaction chamber is pressurized to speed up the reaction.
- III The ammonia formed is removed by condensation.

- A** I and II
- B** I and III
- C** II and III
- D** I, II and III

27 Many properties of an element and its compounds can be predicted from the position of the element in the Periodic Table.

Which property could **not** be predicted in this way?

- A** the acidic or basic nature of its oxide
- B** the formula of its oxide
- C** the number of isotopes it has
- D** its metallic or non-metallic properties

28 A large volume of copper(II) sulfate solution is left in an iron container overnight.

Which statement describes what happens?

- A** The solution evaporates completely and some copper(II) sulfate crystals are left behind.
- B** The part of the container in contact with the solution is coated with copper.
- C** Some fine iron particles are formed in the solution.
- D** Atmospheric oxygen reacts with the copper(II) sulfate to give black copper(II) oxide.

29 The Apple® Watch (Sport) is made up of an alloy comprising aluminium and tightly controlled amounts of magnesium and zinc.

Which of the following is **not** a good reason for alloying metals?

- A** It is cheaper to use alloys than pure metals.
- B** The use of alloys enhances the appearances of the product.
- C** The use of alloys enhances the strength of the product.
- D** The use of alloys makes the product less susceptible to corrosion.

- 30 The haemoglobin molecule in our blood contains 0.33% by mass of iron. If the molar mass of haemoglobin is 68 000 g, how many iron atoms are there in one mole of haemoglobin?

A 4
B 8
C 224
D 401

- 31 Petrol and diesel are two common fuels used by cars and buses respectively. The combustion of these fuels produces air pollutants.

The table shows the mass of pollutants found in exhaust fumes when 1 kg of each fuel is burnt.

pollutant produced	mass of pollutant after petrol is burnt / g	mass of pollutant after diesel is burnt / g
carbon monoxide	240	10
oxides of nitrogen	30	60
sulfur dioxide	1	4
unburnt hydrocarbons	25	20

Which of the following statements can be inferred using the data in the table?

- A All the pollutants listed can be removed by installing a catalytic converter.
B Carbon monoxide is produced by complete combustion of the fuels.
C Petrol contributes more towards the formation of acid rain.
D The temperature in petrol engine is lower than that in diesel engine.
- 32 Which of the following changes does **not** happen in a catalytic converter?
- A carbon monoxide → carbon dioxide
B nitrogen dioxide → nitrogen
C nitrogen monoxide → nitrogen dioxide
D unburnt hydrocarbons → carbon dioxide and water

- 33** Four alkanes, **H**, **I**, **J** and **K** were extracted from a fractional distillation sample of crude oil.

K is more viscous compared to **I**.

J burns with a less sooty flame compared to **I** and **K**.

H is less flammable than **K**.

Which of the following shows the sequence in which the alkanes were collected, in order of increasing boiling point?

- A** J, H, K, I
B H, I, K, J
C K, H, J, I
D J, I, K, H
- 34** A molecule of $C_{17}H_{36}$ undergoes catalytic cracking. The products of the reaction are one butane molecule, one propene molecule and some ethene molecules. How many ethene molecules are produced during the reaction?

- A** 5
B 6
C 7
D 8

- 35** 200 cm^3 of methane is burned in 300 cm^3 of oxygen.

When cooled to room temperature, what could be the resulting mixture of gases?

- A** CH_4 , CO , CO_2
B CH_4 , CO , H_2O
C CH_4 , CO_2 , O_2
D CO_2 , H_2 , O_2
- 36** Some cooking oils contain a mixture of water with molecules of saturated and unsaturated fats. A pure fat molecule has a relative molecular mass of 300.

75 g of the fat reacts with 120 g aqueous bromine.

How many double bonds are there in each molecule of the fat?

- A** 2
B 3
C 4
D 6


37 A compound **X** has all of the following properties:

- It is a liquid at room temperature and atmospheric pressure.
- It does not mix completely with water.
- It does not decolourise acidified potassium manganate (VII).

What could **X** be?

- A ethane
- B ethanoic acid
- C ethanol
- D ethyl ethanoate

38 Which prediction about the compound below is **not** likely to be true?







- A It forms salts with bases.
- B It reacts with ethanol.
- C It reacts with hydrogen to form a saturated compound.
- D It can be oxidised by acidified potassium manganate (VII).

39 The reaction between a carboxylic acid, $\text{C}_x\text{H}_y\text{CO}_2\text{H}$, and an alcohol, $\text{C}_n\text{H}_{2n+1}\text{OH}$, produces an ester.

How many hydrogen atoms does one molecule of the ester contain?

- A $y + 2n$
- B $y + 2n + 1$
- C $y + 2n + 2$
- D $y + 2n + 3$

40 Which of the following shows the repeating unit of terylene?



End of Paper 1

The Periodic Table of Elements

Group																	
I	II	1 H hydrogen 1										III	IV	V	VI	VII	0
		Key															
		proton (atomic) number atomic symbol name relative atomic mass															
3 Li lithium 7	4 Be beryllium 9																
11 Na sodium 23	12 Mg magnesium 24																
19 K potassium 39	20 Ca calcium 40	21 Sc scandium 45	22 Ti titanium 48	23 V vanadium 51	24 Cr chromium 52	25 Mn manganese 55	26 Fe iron 56	27 Co cobalt 59	28 Ni nickel 59	29 Cu copper 64	30 Zn zinc 65	31 Ga gallium 70	32 Ge germanium 73	33 As arsenic 75	34 Se selenium 79	35 Br bromine 80	36 Kr krypton 84
37 Rb rubidium 85	38 Sr strontium 88	39 Y yttrium 89	40 Zr zirconium 91	41 Nb niobium 93	42 Mo molybdenum 96	43 Tc technetium -	44 Ru ruthenium 101	45 Rh rhodium 103	46 Pd palladium 106	47 Ag silver 108	48 Cd cadmium 112	49 In indium 115	50 Sn tin 119	51 Sb antimony 122	52 Te tellurium 128	53 I iodine 127	54 Xe xenon 131
55 Cs caesium 133	56 Ba barium 137	57 – 71 lanthanoids		72 Hf hafnium 178	73 Ta tantalum 181	74 W tungsten 184	75 Re rhenium 186	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195	79 Au gold 197	80 Hg mercury 201	81 Tl thallium 204	82 Pb lead 207	83 Bi bismuth 209	84 Po polonium -	85 At astatine -
87 Fr francium -	88 Ra radium -	89 – 103 actinoids		104 Rf rutherfordium -	105 Db dubnium -	106 Sg seaborgium -	107 Bh bohrium -	108 Hs hassium -	109 Mt meitnerium -	110 Ds darmstadtium -	111 Rg roentgenium -	112 Cn copernicium -	114 Fl flerovium -	116 Lv livermorium -			

lanthanoids

57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium -	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
89 Ac actinium -	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium -	94 Pu plutonium -	95 Am americium -	96 Cm curium -	97 Bk berkelium -	98 Cf californium -	99 Es einsteinium -	100 Fm fermium -	101 Md mendelevium -	102 No nobelium -	103 Lr lawrencium -

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Name	Class	Index Number

UNITY SECONDARY SCHOOL

PRELIMINARY EXAMINATION 2019

SECONDARY FOUR EXPRESS



CHEMISTRY 6092/02

20 SEP 2019

PAPER 2

1 HOUR 45 MINUTES

READ THESE INSTRUCTIONS FIRST

Write your name and index number on all the work you hand in.
 Write in dark blue or black pen on both sides of the paper.
 You may use a soft pencil for any diagrams, graphs or rough working.
 Do not use paper clips, highlighters, glue or correction fluid.

Section A

Answer **all** questions in the spaces provided.

Section B

Answer all **three** questions, the last question is in the form either/or.
 Answer **all** questions in the spaces provided.

At the end of the examination, fasten all your work securely together.
 The number of marks is given in brackets [] at the end of each question or part question.
 A copy of the Periodic Table is printed on page 21.
 The total mark for this paper is 80 marks.

This paper consists of **21** printed pages, including this cover page.

Section A

Answer all questions in this section in the spaces provided.

The total mark for this section is 50.

A1 The diagram shows part of the Periodic Table. Only some of the elements are shown.

[illegible]

- (a)** Answer each of the following questions using only the elements shown in the diagram.

Each element may be used once, more than once or not at all.

State one element which

- (i) has a melting point below room temperature but a boiling point above room temperature [1]

.....


- (ii) has an atom with three occupied electron shells, the outer of which has only five electrons. [1]

.....

- (iii) is colourless, diatomic gas [1]

.....

- (b) Chlorine was passed through a tube as shown below. After some time, coloured substances were seen at **P**, **Q** and **R**.



State the observations seen at each of the region.

[3]

Region	Observations
P	
Q	
R	

- (c) Arsenic reacts with oxygen to form arsenic(III) oxide, As_2O_3 . Arsenic(III) oxide is slightly soluble in water. A weak acid, arsenous acid, H_3AsO_3 , is formed.

Use the kinetic particle theory to explain why a 0.05 mol/dm^3 solution of arsenous acid reacts much more slowly with magnesium ribbon than a 0.05 mol/dm^3 solution of hydrochloric acid. [2]

.....

.....

.....

.....

- A2** The chemical equation for the thermal decomposition of calcium nitrate is shown below.



- (a) What is the total volume of gases produced at room temperature and pressure when 49.2 g of calcium nitrate undergoes thermal decomposition? [2]

(b) State the oxidation state of nitrogen in calcium nitrate. [1]

.....

(c) Explain, using oxidation state, whether the nitrogen in calcium nitrate is oxidized or reduced during the reaction. [2]


.....
.....
.....
.....

A3 The graph below shows the first ionisation energy of the atoms of elements in the Periodic Table. The first ionisation energy is the amount of energy needed to remove the most loosely held electron in the atom to form a positive ion.

Example of the first two elements is given as follows:

$\text{H} \rightarrow \text{H}^+ + \text{e}$ First ionisation energy = 1250 kJ/mol

$\text{He} \rightarrow \text{He}^+ + \text{e}$ First ionisation energy = 2300 kJ/mol



(a) Based on the graph,

- (i) which element is the least reactive between the proton number of 10 to 20? [1]

.....

- (ii) estimate the first ionization energy of Krypton. [1]

.....

- (iii) suggest an explanation for the difference in the first ionization energy between beryllium and magnesium. [2]

.....
.....
.....
.....
.....
.....

- (b) Oxygen contains two isotopes, **O-16** and **O-18**. Do you think that the first ionization energy of both the isotopes is the same? Give a reason for your answer. [1]

.....
.....
.....

A4 Sodium phosphate is a soluble salt used as a water softener in detergents. It can be prepared by reacting phosphoric acid, H_3PO_4 , with sodium hydroxide in a neutralization reaction.

- (a) Give the formula of sodium phosphate. [1]

.....

- (b) Write a chemical equation for the reaction between phosphoric acid and sodium hydroxide. [1]

.....

(c) 50.0 cm³ of 1.0 mol/dm³ phosphoric acid reacted completely with sodium hydroxide to form sodium phosphate solution.

(i) Calculate the mass of sodium phosphate formed. [2]

(ii) Describe how you would obtain pure, dry crystals of sodium phosphate from the salt solution. [3]

.....

.....

.....


.....

.....

.....

A5 Experiments were carried out on the rate of reaction of zinc with dilute sulfuric acid. In each experiment, excess sulfuric acid was used. The results are shown in the following graphs.

In **Experiment 1**, 0.26 g of powdered zinc were used. All three experiments were carried out at room temperature.



(a) The x-axis has been labelled for you. Suggest the label for the y-axis. [1]

.....

(b) Suggest, with a reason, how the condition might have been altered to produce the results for **Experiment 2**. [2]

.....


(c) In **Experiment 3**, some copper(II) sulfate was added. Suggest **two** reasons for the results obtained for this experiment. [2]

.....

(d) Explain why attaching a piece of zinc to an iron pipe prevents the pipe from rusting. [1]

.....

A6 The diagram shows an electric cell.



(a) (i) Draw an arrow on the diagram to show the direction of the flow of electrons in the wire. [1]

(ii) Write a half-equation with state symbols for the reaction taking place at the negative electrode. Explain why it happens that way. [2]

.....

.....

.....

.....

(b) The zinc electrode is now replaced by iron.

(i) State and explain the change in the ammeter reading obtained. [2]

.....

.....

.....

(ii) State one other observation that will be different from the original set-up. [1]

.....

A7 The table below shows the enthalpy of combustion of three fuels.

fuel	enthalpy change of combustion (kJ/mol)
ethanol	-1370
hydrogen	-256
octane	-5510

- (a) Using ideas about bond-breaking and bond-forming, explain why the enthalpy change of combustion for ethanol is negative. [2]

.....
.....
.....
.....

- (b) Ethanol and octane both undergo combustion to produce carbon dioxide. The equation for the combustion of ethanol and octane are given below.



- (i) Calculate the volume of carbon dioxide that will be produced when ethanol undergoes combustion to produce 200 kJ of energy. [2]

- (ii) Calculate the volume of carbon dioxide that will be produced when octane undergoes combustion to produce 200 kJ of energy. [2]

- (iii) Green fuel is a fuel that produces lesser carbon dioxide when burnt. [1]
An example of green fuel is biogas.

Is ethanol “necessarily” a greener fuel? Explain.

.....
.....

A8 Acyl chlorides belong to a class of organic compounds that are analogous to carboxylic acids. Methanoyl chloride and ethanoyl chloride are the first two members of the acyl chloride homologous series.

homologous series	displayed formula of first member	displayed formula of second member
carboxylic acid	$\begin{array}{c} \text{O} \\ \parallel \\ \text{H}-\text{C}-\text{OH} \end{array}$ methanoic acid	$\begin{array}{c} \text{H} \quad \text{O} \\ \quad \parallel \\ \text{H}-\text{C}-\text{C}-\text{OH} \\ \\ \text{H} \end{array}$ ethanoic acid
acyl chloride	$\begin{array}{c} \text{O} \\ \parallel \\ \text{H}-\text{C}-\text{Cl} \end{array}$ methanoyl chloride	$\begin{array}{c} \text{H} \quad \text{O} \\ \quad \parallel \\ \text{H}-\text{C}-\text{C}-\text{Cl} \\ \\ \text{H} \end{array}$ ethanoyl chloride

- (a) (i) Define the term *homologous series*. [1]

.....
.....
.....

- (ii) Describe and explain how the boiling point of ethanoyl chloride compares with that of methanoyl chloride. [2]

.....
.....
.....
.....
.....

- (iii) Draw the full structural formula of the fourth member of the acyl chloride homologous series. [1]

- (b) Acyl chlorides undergo the same type of reaction with alcohols as their carboxylic acid counterparts to form the same ester.

For example, methanoic acid and ethanol react to form ethyl methanoate. Methanoyl chloride reacts with ethanol to also form ethyl methanoate.

Using your answer from (a)(iii), draw the full structural formula of the ester formed between the fourth member of the acyl chloride homologous series and methanol. Name this ester.

[2]

Name of ester:

Full structural formula of ester:

Section B

Answer all **three** questions in this section.

The last question is in the form of either/or and only one of the alternatives should be attempted.

B9 Glass is a mixture of oxides, made up of three components: *formers*, *fluxes* and *stabilizers*.

- *Formers* make up the largest percentage of the mixture to be melted to produce the glass.
- *Fluxes* lower the temperature at which the formers will melt.
- *Stabilizers* make the glass strong and weather resistant.

The composition of a type of glass (percentage by mass of their components) is shown in the table below.

chemical present	soda lime silica glass
silica, SiO_2	73.6%
soda, Na_2O	16.0%
potash, K_2O	0.6%
alumina, Al_2O_3	1.0%

Note: not all the components of glass are shown in the table above

(a) (i) Identify the chemical that serves as the *former*. [1]

.....

(ii) Explain, based on structure and bonding, why the chemical in (a)(i) can withstand high temperatures. [2]

.....

.....

.....

.....

.....

.....

.....

- (b) Soda and potash are commonly used as *fluxes*. These *fluxes* have to be thermally stable.

Which flux, soda or potash is more thermally stable? Explain your answer.

[2]

.....

.....

.....

- (c) The Gorilla Glass is a type of scratch-resistant glass made by the company, Corning. Glass sheets are dipped into a molten potassium salt bath at about 400 °C, where the potassium ions undergo an exchange with the sodium ions (see diagram below).

The larger potassium ions now present in the glass structure exert a “compressive effect” on the glass (similar to what happens in an alloy) that strengthens it.



particle	ionic radii / 10^{-12} m
sodium ion	116
potassium ion	142

- (i) Explain why the molten potassium salt bath has to be at 400 °C.

[2]

.....

.....

.....

.....

- (ii) Explain, using data, how the ion-exchange process strengthens the glass through the “compressive effect”. [2]

.....

.....

.....

.....

.....

- (iii) As part of the quality control process, a sample of Gorilla Glass was immersed in two solvents and the weight loss per unit surface area was measured after some time. [1]

	time / hours	weight loss / mg cm⁻²
HC/	24	0.12
NaOH	6	1.42


Explain the results in the table above.

.....

.....

.....

B10 The diagram shows the electrolysis of three different solutions using inert electrodes.



- (a) (i) Write equations for the reactions that happen at each electrode in cell **B** during electrolysis. Include state symbols. [2]

.....

- (ii) Describe **two** observations that take place at cell **B**. Explain your observations. [4]

.....

(b) 6.0 dm³ of oxygen is liberated from cell **A**, at room temperature and pressure.


(i) Calculate the increase in mass of the cathodes in cells **A** and **C**. [2]

(ii) What is another observation in cell **A**? [2]
Explain your observation.

.....
.....

B11 EITHER

The diagram shows four monomers.



- (a) Monomer **B** was formed by reacting propenoic acid, CH_2CHCOOH with another compound, **X**. State the conditions of the reaction and name compound **X**. [2]

.....

.....

.....

.....

- (b) (i) Which of these monomers can be used to produce a polymer through condensation polymerisation by itself? [1]

.....

- (ii) Which of these monomers will undergo polymerisation without a change in percentage composition? Explain your answer. [1]

.....

.....

.....

- (c) (i) Using two monomers above, draw a repeat unit of the polymer formed, which has the same linkages as found in nylon. [1]

- (ii) Explain why the polymer formed in (c)(i) should not be disposed by burning. [2]

.....

.....

.....

.....

- (d) A student has four solutions containing monomers **A** to **D** each. Describe chemical tests the student could do to identify the four solutions. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

B11 OR

Haematite and coke are used to make iron in the blast furnace. A series of chemical reaction occurs within the furnace before molten iron is collected. Iron from the blast furnace contains carbon and silicon as impurities.

- (a) Explain, with the help of equations, why coke is essential to the process of making iron from haematite.

[4]

.....

.....

.....

.....


.....

.....

.....

.....

- (b) Three beakers were set up to study the reactivities of iron, lead and an unknown metal **X**.



After some time, it was observed that the metal pieces in beakers 1 and 3 decreased in size. However, the metal piece in beaker 2 remained the same.

Deduce the order of the reactivities of iron, lead and metal **X**, starting with the least reactive metal. Explain your answer.

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (c) Iron was reacted with dilute sulfuric acid to obtain a solution. Adding some aqueous ammonia to the solution in a test-tube resulted in a green precipitate. After some time, the green precipitate started to turn reddish-brown.

(i) Write an ionic equation for the formation of the green precipitate.

[1]

.....

(ii) Name the brown solid and explain how it was formed.

[2]

.....

.....

.....

End of Paper 2

The Periodic Table of Elements

Group																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
I	II	Key																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		proton (atomic) number atomic symbol name relative atomic mass																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
3 Li lithium 7	4 Be beryllium 9	5 B boron 11	6 C carbon 12	7 N nitrogen 14	8 O oxygen 16	9 F fluorine 19	10 Ne neon 20	11 Na sodium 23	12 Mg magnesium 24	13 Al aluminium 27	14 Si silicon 28	15 P phosphorus 31	16 S sulfur 32	17 Cl chlorine 35.5	18 Ar argon 40	19 K potassium 39	20 Ca calcium 40	21 Sc scandium 45	22 Ti titanium 48	23 V vanadium 51	24 Cr chromium 52	25 Mn manganese 55	26 Fe iron 56	27 Co cobalt 59	28 Ni nickel 59	29 Cu copper 64	30 Zn zinc 65	31 Ga gallium 70	32 Ge germanium 73	33 As arsenic 75	34 Se selenium 79	35 Br bromine 80	36 Kr krypton 84	37 Rb rubidium 85	38 Sr strontium 88	39 Y yttrium 89	40 Zr zirconium 91	41 Nb niobium 93	42 Mo molybdenum 96	43 Tc technetium -	44 Ru ruthenium 101	45 Rh rhodium 103	46 Pd palladium 106	47 Ag silver 108	48 Cd cadmium 112	49 In indium 115	50 Sn tin 119	51 Sb antimony 122	52 Te tellurium 128	53 I iodine 127	54 Xe xenon 131	55 Cs caesium 133	56 Ba barium 137	57 – 71 lanthanoids	72 Hf hafnium 178	73 Ta tantalum 181	74 W tungsten 184	75 Re rhenium 186	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195	79 Au gold 197	80 Hg mercury 201	81 Tl thallium 204	82 Pb lead 207	83 Bi bismuth 209	84 Po polonium -	85 At astatine -	86 Rn radon -	87 Fr francium -	88 Ra radium -	89 – 103 actinoids	104 Rf rutherfordium -	105 Db dubnium -	106 Sg seaborgium -	107 Bh bohrium -	108 Hs hassium -	109 Mt meitnerium -	110 Ds darmstadtium -	111 Rg roentgenium -	112 Cn copernicium -	113 Nh nihonium -	114 Fl flerovium -	115 Lv livermorium -	116 Ts tennessine -	117 Uue unbinilium -	118 Uuo ununoctium -	119 Uuh ununilium -	120 Uuq ununquadium -	121 Uub ununbium -	122 Uut ununtrium -	123 Uuq ununquadium -	124 Uub ununbium -	125 Uut ununtrium -	126 Uuq ununquadium -	127 Uub ununbium -	128 Uut ununtrium -	129 Uuq ununquadium -	130 Uub ununbium -	131 Uut ununtrium -	132 Uuq ununquadium -	133 Uub ununbium -	134 Uut ununtrium -	135 Uuq ununquadium -	136 Uub ununbium -	137 Uut ununtrium -	138 Uuq ununquadium -	139 Uub ununbium -	140 Uut ununtrium -	141 Uuq ununquadium -	142 Uub ununbium -	143 Uut ununtrium -	144 Uuq ununquadium -	145 Uub ununbium -	146 Uut ununtrium -	147 Uuq ununquadium -	148 Uub ununbium -	149 Uut ununtrium -	150 Uuq ununquadium -	151 Uub ununbium -	152 Uut ununtrium -	153 Uuq ununquadium -	154 Uub ununbium -	155 Uut ununtrium -	156 Uuq ununquadium -	157 Uub ununbium -	158 Uut ununtrium -	159 Uuq ununquadium -	160 Uub ununbium -	161 Uut ununtrium -	162 Uuq ununquadium -	163 Uub ununbium -	164 Uut ununtrium -	165 Uuq ununquadium -	166 Uub ununbium -	167 Uut ununtrium -	168 Uuq ununquadium -	169 Uub ununbium -	170 Uut ununtrium -	171 Uuq ununquadium -	172 Uub ununbium -	173 Uut ununtrium -	174 Uuq ununquadium -	175 Uub ununbium -	176 Uut ununtrium -	177 Uuq ununquadium -	178 Uub ununbium -	179 Uut ununtrium -	180 Uuq ununquadium -	181 Uub ununbium -	182 Uut ununtrium -	183 Uuq ununquadium -	184 Uub ununbium -	185 Uut ununtrium -	186 Uuq ununquadium -	187 Uub ununbium -	188 Uut ununtrium -	189 Uuq ununquadium -	190 Uub ununbium -	191 Uut ununtrium -	192 Uuq ununquadium -	193 Uub ununbium -	194 Uut ununtrium -	195 Uuq ununquadium -	196 Uub ununbium -	197 Uut ununtrium -	198 Uuq ununquadium -	199 Uub ununbium -	200 Uut ununtrium -	201 Uuq ununquadium -	202 Uub ununbium -	203 Uut ununtrium -	204 Uuq ununquadium -	205 Uub ununbium -	206 Uut ununtrium -	207 Uuq ununquadium -	208 Uub ununbium -	209 Uut ununtrium -	210 Uuq ununquadium -	211 Uub ununbium -	212 Uut ununtrium -	213 Uuq ununquadium -	214 Uub ununbium -	215 Uut ununtrium -	216 Uuq ununquadium -	217 Uub ununbium -	218 Uut ununtrium -	219 Uuq ununquadium -	220 Uub ununbium -	221 Uut ununtrium -	222 Uuq ununquadium -	223 Uub ununbium -	224 Uut ununtrium -	225 Uuq ununquadium -	226 Uub ununbium -	227 Uut ununtrium -	228 Uuq ununquadium -	229 Uub ununbium -	230 Uut ununtrium -	231 Uuq ununquadium -	232 Uub ununbium -	233 Uut ununtrium -	234 Uuq ununquadium -	235 Uub ununbium -	236 Uut ununtrium -	237 Uuq ununquadium -	238 Uub ununbium -	239 Uut ununtrium -	240 Uuq ununquadium -	241 Uub ununbium -	242 Uut ununtrium -	243 Uuq ununquadium -	244 Uub ununbium -	245 Uut ununtrium -	246 Uuq ununquadium -	247 Uub ununbium -	248 Uut ununtrium -	249 Uuq ununquadium -	250 Uub ununbium -	251 Uut ununtrium -	252 Uuq ununquadium -	253 Uub ununbium -	254 Uut ununtrium -	255 Uuq ununquadium -	256 Uub ununbium -	257 Uut ununtrium -	258 Uuq ununquadium -	259 Uub ununbium -	260 Uut ununtrium -	261 Uuq ununquadium -	262 Uub ununbium -	263 Uut ununtrium -	264 Uuq ununquadium -	265 Uub ununbium -	266 Uut ununtrium -	267 Uuq ununquadium -	268 Uub ununbium -	269 Uut ununtrium -	270 Uuq ununquadium -	271 Uub ununbium -	272 Uut ununtrium -	273 Uuq ununquadium -	274 Uub ununbium -	275 Uut ununtrium -	276 Uuq ununquadium -	277 Uub ununbium -	278 Uut ununtrium -	279 Uuq ununquadium -	280 Uub ununbium -	281 Uut ununtrium -	282 Uuq ununquadium -	283 Uub ununbium -	284 Uut ununtrium -	285 Uuq ununquadium -	286 Uub ununbium -	287 Uut ununtrium -	288 Uuq ununquadium -	289 Uub ununbium -	290 Uut ununtrium -	291 Uuq ununquadium -	292 Uub ununbium -	293 Uut ununtrium -	294 Uuq ununquadium -	295 Uub ununbium -	296 Uut ununtrium -	297 Uuq ununquadium -	298 Uub ununbium -	299 Uut ununtrium -	300 Uuq ununquadium -	301 Uub ununbium -	302 Uut ununtrium -	303 Uuq ununquadium -	304 Uub ununbium -	305 Uut ununtrium -	306 Uuq ununquadium -	307 Uub ununbium -	308 Uut ununtrium -	309 Uuq ununquadium -	310 Uub ununbium -	311 Uut ununtrium -	312 Uuq ununquadium -	313 Uub ununbium -	314 Uut ununtrium -	315 Uuq ununquadium -	316 Uub ununbium -	317 Uut ununtrium -	318 Uuq ununquadium -	319 Uub ununbium -	320 Uut ununtrium -	321 Uuq ununquadium -	322 Uub ununbium -	323 Uut ununtrium -	324 Uuq ununquadium -	325 Uub ununbium -	326 Uut ununtrium -	327 Uuq ununquadium -	328 Uub ununbium -	329 Uut ununtrium -	330 Uuq ununquadium -	331 Uub ununbium -	332 Uut ununtrium -	333 Uuq ununquadium -	334 Uub ununbium -	335 Uut ununtrium -	336 Uuq ununquadium -	337 Uub ununbium -	338 Uut ununtrium -	339 Uuq ununquadium -	340 Uub ununbium -	341 Uut ununtrium -	342 Uuq ununquadium -	343 Uub ununbium -	344 Uut ununtrium -	345 Uuq ununquadium -	346 Uub ununbium -	347 Uut ununtrium -	348 Uuq ununquadium -	349 Uub ununbium -	350 Uut ununtrium -	351 Uuq ununquadium -	352 Uub ununbium -	353 Uut ununtrium -	354 Uuq ununquadium -	355 Uub ununbium -	356 Uut ununtrium -	357 Uuq ununquadium -	358 Uub ununbium -	359 Uut ununtrium -	360 Uuq ununquadium -	361 Uub ununbium -	362 Uut ununtrium -	363 Uuq ununquadium -	364 Uub ununbium -	365 Uut ununtrium -	366 Uuq ununquadium -	367 Uub ununbium -	368 Uut ununtrium -	369 Uuq ununquadium -	370 Uub ununbium -	371 Uut ununtrium -	372 Uuq ununquadium -	373 Uub ununbium -	374 Uut ununtrium -	375 Uuq ununquadium -	376 Uub ununbium -	377 Uut ununtrium -	378 Uuq ununquadium -	379 Uub ununbium -	380 Uut ununtrium -	381 Uuq ununquadium -	382 Uub ununbium -	383 Uut ununtrium -	384 Uuq ununquadium -	385 Uub ununbium -	386 Uut ununtrium -	387 Uuq ununquadium -	388 Uub ununbium -	389 Uut ununtrium -	390 Uuq ununquadium -	391 Uub ununbium -	392 Uut ununtrium -	393 Uuq ununquadium -	394 Uub ununbium -	395 Uut ununtrium -	396 Uuq ununquadium -	397 Uub ununbium -	398 Uut ununtrium -	399 Uuq ununquadium -	400 Uub ununbium -	401 Uut ununtrium -	402 Uuq ununquadium -	403 Uub ununbium -	404 Uut ununtrium -	405 Uuq ununquadium -	406 Uub ununbium -	407 Uut ununtrium -	408 Uuq ununquadium -	409 Uub ununbium -	410 Uut ununtrium -	411 Uuq ununquadium -	412 Uub ununbium -	413 Uut ununtrium -	414 Uuq ununquadium -	415 Uub ununbium -	416 Uut ununtrium -	417 Uuq ununquadium -	418 Uub ununbium -	419 Uut ununtrium -	420 Uuq ununquadium -	421 Uub ununbium -	422 Uut ununtrium -	423 Uuq ununquadium -	424 Uub ununbium -	425 Uut ununtrium -	426 Uuq ununquadium -	427 Uub ununbium -	428 Uut ununtrium -	429 Uuq ununquadium -	430 Uub ununbium -	431 Uut ununtrium -	432 Uuq ununquadium -	433 Uub ununbium -	434 Uut ununtrium -	435 Uuq ununquadium -	436 Uub ununbium -	437 Uut ununtrium -	438 Uuq ununquadium -	439 Uub ununbium -	440 Uut ununtrium -	441 Uuq ununquadium -	442 Uub ununbium -	443 Uut ununtrium -	444 Uuq ununquadium -	445 Uub ununbium -	446 Uut ununtrium -	447 Uuq ununquadium -	448 Uub ununbium -	449 Uut ununtrium -	450 Uuq ununquadium -	451 Uub ununbium -	452 Uut ununtrium -	453 Uuq ununquadium -	454 Uub ununbium -	455 Uut ununtrium -	456 Uuq ununquadium -	457 Uub ununbium -	458 Uut ununtrium -	459 Uuq ununquadium -	460 Uub ununbium -	461 Uut ununtrium -	462 Uuq ununquadium -	463 Uub ununbium -	464 Uut ununtrium -	465 Uuq ununquadium -	466 Uub ununbium -	467 Uut ununtrium -	468 Uuq ununquadium -	469 Uub ununbium -	470 Uut ununtrium -	471 Uuq ununquadium -	472 Uub ununbium -	473 Uut ununtrium -	474 Uuq ununquadium -	475 Uub ununbium -	476 Uut ununtrium -	477 Uuq ununquadium -	478 Uub ununbium -	479 Uut ununtrium -	480 Uuq ununquadium -	481 Uub ununbium -	482 Uut ununtrium -	483 Uuq ununquadium -	484 Uub ununbium -	485 Uut ununtrium -	486 Uuq ununquadium -	487 Uub ununbium -	488 Uut ununtrium -	489 Uuq ununquadium -	490 Uub ununbium -	491 Uut ununtrium -	492 Uuq ununquadium -	493 Uub ununbium -	494 Uut ununtrium -	495 Uuq ununquadium -	496 Uub ununbium -	497 Uut ununtrium -	498 Uuq ununquadium -	499 Uub ununbium -	500 Uut ununtrium -	501 Uuq ununquadium -	502 Uub ununbium -	503 Uut ununtrium -	504 Uuq ununquadium -	505 Uub ununbium -	506 Uut ununtrium -	507 Uuq ununquadium -	508 Uub ununbium -	509 Uut ununtrium -	510 Uuq ununquadium -	511 Uub ununbium -	512 Uut ununtrium -	513 Uuq ununquadium -	514 Uub ununbium -	515 Uut ununtrium -	516 Uuq ununquadium -	517 Uub ununbium -	518 Uut ununtrium -	519 Uuq ununquadium -	520 Uub ununbium -	521 Uut ununtrium -	522 Uuq ununquadium -	523 Uub ununbium -	524 Uut ununtrium -	525 Uuq ununquadium -	526 Uub ununbium -	527 Uut ununtrium -	528 Uuq ununquadium -	529 Uub ununbium -	530 Uut ununtrium -	531 Uuq ununquadium -	532 Uub ununbium -	533 Uut ununtrium -	534 Uuq ununquadium -	535 Uub ununbium -	536 Uut ununtrium -	537 Uuq ununquadium -	538 Uub ununbium -	539 Uut ununtrium -	540 Uuq ununquadium -	541 Uub ununbium -	542 Uut ununtrium -	543 Uuq ununquadium -	544 Uub ununbium -	545 Uut ununtrium -	546 Uuq ununquadium -	547 Uub ununbium -	548 Uut ununtrium -	549 Uuq ununquadium -	550 Uub ununbium -	551 Uut ununtrium -	552 Uuq ununquadium -	553 Uub ununbium -	554 Uut ununtrium -	555 Uuq ununquadium -	556 Uub ununbium -	557 Uut ununtrium -	558 Uuq ununquadium -	559 Uub ununbium -	560 Uut ununtrium -	561 Uuq ununquadium -	562 Uub ununbium -	563 Uut ununtrium -	564 Uuq ununquadium -	565 Uub ununbium -	566 Uut ununtrium -	567 Uuq ununquadium -	568 Uub ununbium -	569 Uut ununtrium -	570 Uuq ununquadium -	571 Uub ununbium -	572 Uut ununtrium -	573 Uuq ununquadium -	574 Uub ununbium -	575 Uut ununtrium -	576 Uuq ununquadium -	577 Uub ununbium -	578 Uut ununtrium -	579 Uuq ununquadium -	580 Uub ununbium -	581 Uut ununtrium -	582 Uuq ununquadium -	583 Uub ununbium -	584 Uut ununtrium -	585 Uuq ununquadium -	586 Uub ununbium -	587 Uut ununtrium -	588 Uuq ununquadium -	589 Uub ununbium -	590 Uut ununtrium -	591 Uuq ununquadium -	592 Uub ununbium -	593 Uut ununtrium -	594 Uuq ununquadium -	595 Uub ununbium -	596 Uut ununtrium -	597 Uuq ununquadium -	598 Uub ununbium -	599 Uut ununtrium -	600 Uuq ununquadium -	601 Uub ununbium -	602 Uut ununtrium -	603 Uuq ununquadium -	604 Uub ununbium -	605 Uut ununtrium -	606 Uuq ununquadium -	607 Uub ununbium -	608 Uut ununtrium -	609 Uuq ununquadium -	610 Uub ununbium -	611 Uut ununtrium -	612 Uuq ununquadium -	613 Uub ununbium -	614 Uut ununtrium -	615 Uuq ununquadium -	616 Uub ununbium -	617 Uut ununtrium -	618 Uuq ununquadium -	619 Uub ununbium -	620 Uut ununtrium -	621 Uuq ununquadium -	622 Uub ununbium -	623 Uut ununtrium -	624 Uuq ununquadium -	625 Uub ununbium -	626 Uut ununtrium -	627 Uuq ununquadium -	628 Uub ununbium -	629 Uut ununtrium -	630 Uuq ununquadium -	631 Uub ununbium -	632 Uut ununtrium -	633 Uuq ununquadium -	634 Uub ununbium -	635 Uut ununtrium -	636 Uuq ununquadium -	637 Uub ununbium -	638 Uut ununtrium -	639 Uuq ununquadium -	640 Uub ununbium -	641 Uut ununtrium -	642 Uuq ununquadium -	643 Uub ununbium -	644 Uut ununtrium -	645 Uuq ununquadium -	646 Uub ununbium -	647 Uut ununtrium -	648 Uuq ununquadium -	649 Uub ununbium -	650 Uut ununtrium -	651 Uuq ununquadium -	652 Uub ununbium -	653 Uut ununtrium -	654 Uuq ununquadium -	655 Uub ununbium -	656 Uut ununtrium -	657 Uuq ununquadium -	658 Uub ununbium -	659 Uut ununtrium -	660 Uuq ununquadium -	661 Uub ununbium -	662 Uut ununtrium -	663 Uuq ununquadium -	664 Uub ununbium -	665 Uut ununtrium -	666 Uuq ununquadium -	667 Uub ununbium -	668 Uut ununtrium -	669 Uuq ununquadium -	670 Uub ununbium

Key

proton (atomic) number
atomic symbol
name
relative atomic mass

lanthanoids

57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

